

Energy management of an hybrid electric vehicle in degraded operation

Javier Solano*, Daniel Hissel^{†‡} and Marie-Cécile Péra ^{†‡}

[†]FEMTO-ST, UMR CNRS 6174, University of Franche-Comté, 90010 Belfort Cedex, France

[‡]FCLAB, FR CNRS 3539, 90010 Belfort Cedex, France

*Universidad Industrial de Santander, Bucaramanga, Colombia

Abstract—This paper studies the energy management of a hybrid electrical vehicle equipped with batteries, an ultracapacitor system (UCS) and a fuel cell system (FCS). The energy management strategy (EMS) is designed to enable degraded operation in case of failure of one of the energy sources. In the considered architecture, the vehicle is not operational without batteries because they impose the DC bus voltage, hence degraded operations are only considered for failures in the FCS or in the UCS. The objective is not to develop a new EMS for each degraded operation mode, but to slightly modify the global EMS developed for normal operation. The paper presents simulation and experimental validation results.

Keywords—hybrid electrical vehicles, ultracapacitors, fuel cells, simulation and experimental validation, failure, degraded operation

I. INTRODUCTION

The research presented in this article is realized in the framework of the ECCE project funded by the French Army (DGA). This project aims to develop and evaluate technologies for military vehicles. ECCE hybrid electric vehicle (HEV) is a mobile laboratory which permits evaluating under real operation the components of hybrid electrical vehicles. Here, the interest is to develop and to evaluate an energy management system for a hybrid source composed by a bank of batteries, an ultracapacitor system and a fuel cell system. Considering reliability demands [1], military vehicles must present high redundancy in its energy sources, or at least must enable operation in case of failure of one of the energy sources. Previous research about this vehicle is published in [2]–[5].

As previous knowledge of the driving cycles is not available for military applications, the proposed energy management strategy only considers real-time information such as electrical power, current or voltage, the state of charge of the storage sources or the speed of the vehicle. The EMS is developed considering the advantages and drawbacks of each of the sources. The main objective of this paper is to enhance the original EMS by considering degraded operations if any of the sources fails. The modified EMS must enable operation of the vehicle until the end of the mission, or until discharge of the batteries. Energy management is realised using several different techniques as presented in [6]–[14].

This paper is organized as follows: Section II introduces the energy management strategy in normal operation. Section III proposes modified energy management strategies in case of failure of the UCS or the FCS. Section IV presents simulation and experimental validation results. Section V presents the conclusions of the research.

II. ENERGY MANAGEMENT STRATEGY

In ECCE, finding the ultracapacitor system (UCS), fuel cell system (FCS) and batteries power references to supply the vehicle power consumption (motor drives and ancillaries) seems to be the natural objective of the energy management strategy (EMS) as defined by Equation 1. The left term of this relation can be negative when braking (regenerative braking) and Equation 1 changes if mechanical braking is applied. As the batteries are directly connected to the DC bus (see Figure 1), the power flow of this source cannot be directly controlled. The EMS is thus, in this case, limited to finding the UCS and FCS power references. As the EMS is designed without knowledge of future driving conditions, it only uses real-time information to compute these power references.

$$P_{motor\ drives} + P_{ancillary} = P_{FCS} + P_{batt} + P_{UCS} \quad (1)$$

The first step is to define a global EMS (second level control) regarding the characteristics and constraints of both the vehicle and the hybrid source. The objectives of this EMS are defined as: to supply the energy consumed by the load, to maximize the energy recovered in braking, to minimize the DC bus voltage variation, to regulate the UC and batteries SOC and to supply high dynamic power. However, as the control of the sources is independently realized, the next step is to identify local control strategies for each source (first level control).

The batteries are directly connected to the DC bus, and then their power is indirectly controlled by the FCS and UCS: to discharge (recharge) the battery, the power supplied by the FCS and UCS will be lower (higher) than the power consumption, so the battery has to supply (store) the difference. The UCS is the most efficient source, and then is considered as the priority source to supply the power: the reference power of this source is calculated as the difference of the power consumed by the load and the power delivered by the FCS.

A type-2 fuzzy logic controller is designed to define the power reference for the FCS. The fuzzy controller has two inputs and one output. The first input ΔSOC is the difference between the estimated state-of charge of the UCS and the value of its reference value. The second output ΔP is the difference between the power consumed by the load and the power delivered by the FCS. The output of the system ΔP_{FCS} is the rate of change in the fuel cell system output power.

Figure 2 illustrates the energy management strategy presented in detail in [15] and [16]. The objective of this research, is to propose energy management strategies for degraded operation modes. These EMS will be based on the original global strategy.

III. ENERGY MANAGEMENT STRATEGY UNDER DEGRADED OPERATION

The EMS introduced in Section II is designed to normal operation but does not consider degraded operation in case of failure of one of the sources. In the considered architecture, the vehicle is not operational without batteries because they impose the DC bus voltage, hence degraded operations are only considered for failures in the FCS or in the UCS.

As it can be seen in Figure 2, the global energy management strategy has two outputs: the reference power of the fuel cell system and the reference power of the ultracapacitor system. If one of these sources (FCS or UCS) fails, it is useless to compute a power reference for this source, then during degraded operation the EMS only have one output: the reference power for the source which is still operational.

A. Degraded operation without FCS

The first degraded operation mode is a failure in the FCS. Here, ECCE operates as it were a plug-in vehicle (i.e. the batteries provide the whole amount of energy until discharge) and as a consequence the SOC regulation in the batteries is not possible anymore. Nevertheless, the UCS SOC could be still controlled via the batteries. In this case, the control of UCS state-of-charge is possible. When the FCS fails, a fast DC bus voltage regulation could be still expected, but the state-of-charge of the batteries can not be regulated. The battery voltage will have relatively low variations, however the mean value of this voltage is expected to be decreasing.

The proposed solution is to use the batteries to supply the power that the FCS cannot supply. The batteries power is indirectly controlled by controlling the UCS supplied power. The modified EMS for the operation mode after a FCS failure is illustrated in Figure 3. The power reference for the FCS is still computed to be used as input to the UCS local EMS. The reference UCS power is calculated as the difference of the power consumed by the load and the FCS reference power which is supplied by the batteries. This is done to reduce the UCS power reference and avoid its fast discharge.

B. Degraded operation without UCS

The second case considered is a failure in the UCS. In the original strategy, the UCS is the source which provides the high dynamic characteristic of the hybrid source, and then the fast regulation of the battery voltage. In this case, the control of batteries state-of-charge (SOC) is possible, however the UCS SOC control is not performed anymore. When the UCS fails, the batteries supply the fast dynamic power not supplied by the UCS and then its voltage have higher variations than in the normal operation mode. However, the mean value of this voltage is expected to be constant because the fuel cell system is still providing the mean requested power on the DC bus.

The proposed solution for this failure is to maintain the same global EMS. However, as the UC SOC control is not required, the ΔSOC input at the fuzzy logic controller is imposed to be zero. This is equivalent to say that the reference UCS SOC is achieved, and then the only objective for the FCS is to supply the energy consumed by the load. The modified EMS for the operation mode after a UCS failure is illustrated in Figure 4.




Fig. 1. ECCE hybrid electric vehicle architecture




Fig. 2. Global energy management strategy




Fig. 3. Degraded operation strategy - without FCS




Fig. 4. Degraded operation strategy - without UCS

IV. SIMULATION RESULTS

The proposed EMS is evaluated by computer simulations using power profiles measured during real operation of the vehicle. The power profiles are measured under real drive conditions and represents with good accuracy the operation of the vehicle. The energetic macroscopic representation formalism is used to perform the simulations as presented in [15].

A. Failure in the FCS

Simulation results are presented in Figure 5. In this configuration the UCS supplies the dynamic response and the output voltage variation ($\Delta V_{max} = 60V$) is lower than in the degraded configuration without UCS ($\Delta V_{max} = 75V$). The batteries controls the UC SOC, however, the batteries SOC cannot be controlled, and then a progressive decrease in the batteries voltage can be noticed.

B. Failure in the UCS

Simulation results for failure of the UCS are presented in Figure 6. In this degraded operation the batteries supply the dynamic response and the the output voltage is not stable as in the configuration including the UCS. The batteries SOC is nevertheless controlled by the FCS.

V. EXPERIMENTAL RESULTS

The energy management system (software & hardware) is implemented using a dSPACE AutoBox programmable controller. Driving validation is performed on a drive circuit located in PANHARD (industrial partner of the project) at Saint-Germain Laval, France. The evaluation of the EMS is performed under real conditions (these driving cycles are also used in simulation) and no previous knowledge of the driving cycle is considered.

A. Failure in the FCS

To emulate the FCS failure, the output of this element is imposed to be zero. The strategy is modified as shown in Figure 3. Experimental results are presented in Figure 7.

In this configuration the UCS supplies the dynamic response and reduces the output voltage variation ($\Delta V_{max} = 65V$). This variation is lower than the obtained in operation without UCS ($\Delta V_{max} = 80V$). The batteries control the UC SOC, however a progressive decrease in the DC bus voltage is noticed. These results corroborate those obtained in simulation and show that the proposed strategy can be used in failure of the FCS.

B. Failure in the UCS

Experimental results for failure of the UCS are presented in Figure 8. To emulate the UCS fail, the output of this element is imposed to be zero. Additionally, the EMS is modified as illustrated in Figure 4.

In this degraded operation the batteries supply the dynamic response and the the output voltage is not stable as in the configuration including the UCS. The batteries SOC is controlled by the FCS. The reinforcing results obtained in experimental and in simulation show that the proposed strategy can be used in failure of the UCS.




Fig. 5. Degraded operation EMS without FCS - Simulation results: vehicle speed (up), power distribution (middle) and battery voltage (down)




Fig. 6. Degraded operation EMS without UCS - Simulation results: power distribution (up) and battery voltage (down)




Fig. 7. Degraded operation EMS without UCS - Experimental results: power distribution (up) and battery voltage (down)




Fig. 8. Degraded operation EMS without FCS - Experimental results: power distribution (up) and battery voltage (down)

VI. CONCLUSION

This paper studied the energy management strategy of a HEV operating after failure of one of its energy sources. A global EMS used in normal operation is modified to consider either failure on the UCS or in the FCS.

Simulation and experimental results shows that the new strategies enable operation of the vehicle after the failure occurs. After an UCS failure, the battery voltage will have high variations but the state-of charge will be regulated by the FCS.

After an FCS failure, the battery voltage will be regulated by the UCS, with lower variations but a decreasing mean value, because the SOC could not be regulated anymore.

The two degraded operation EMS are easily implemented from the normal operation EMS. Validation results show that these degraded EMS are well suited for real operation of the hybrid vehicle. Further research should be performed on the fast identification of degraded operation conditions.

REFERENCES

- [1] L. Boulon, D. Hissel, A. Bouscayrol, O. Pape, and M. Pera, "Simulation model of a military hev with a highly redundant architecture," *Vehicular Technology, IEEE Transactions on*, vol. 59, no. 6, pp. 2654–2663, 2010.
- [2] R. Pusca, Y. Amirat, and A. Berthon, "Fuzzy logic speed estimator to drive a four electric wheels truck," in *Power Electronics and Motion Control Conference, 2004. IPEMC 2004. The 4th International*, vol. 3. IEEE, 2004, pp. 1448–1453.
- [3] K. El Kadri and A. Berthon, "Energy management operating modes concerning a hybrid heavy vehicle," in *EUROCON, 2007. The International Conference on "Computer as a Tool"*. IEEE, 2007, pp. 1587–1593.
- [4] C. Espanet, J. Kauffmann, and R. Bernard, "Comparison of two in-wheel permanent magnet motors for military applications," in *Vehicle Power and Propulsion Conference, 2006*. IEEE, 2006, pp. 1–6.
- [5] J. Mulot, J. Solano Martinez, F. Harel, D. Hissel, M. Péra, I. Rodel, J. Duclos, S. Boblet, and M. Amiet, "Implementation of a battery/fuel cell/ultracapacitor configuration into a heavy-duty vehicle (ecce)," in *Les Rencontres Scientifiques d'IFP Energies nouvelles - International Scientific Conference on hybrid and electric vehicles - RHEVE 2011*, vol. 8, 2011, p. 11.
- [6] L. Xu, M. Ouyang, J. Li, F. Yang, L. Lu, and J. Hua, "Application of pontryagin's minimal principle to the energy management strategy of plugin fuel cell electric vehicles," *International Journal of Hydrogen Energy*, vol. 38, Issue 24, p. 1010410115, 2013.
- [7] S. Caux, W. Hankache, M. Fadel, and D. Hissel, "On-line fuzzy energy management for hybrid fuel cell systems," *International Journal of Hydrogen Energy*, vol. 35, no. 5, pp. 2134–2143, 2010.
- [8] J. Ryu, Y. Park, and M. Sunwoo, "Electric powertrain modeling of a fuel cell hybrid electric vehicle and development of a power distribution algorithm based on driving mode recognition," *Journal of Power Sources*, vol. 195, no. 17, pp. 5735 – 5748, 2010.
- [9] P. Thounthong, S. Pierfederici, J. Martin, M. Hinaje, and B. Davat, "Modeling and control of fuel cell/supercapacitor hybrid source based on differential flatness control," *Vehicular Technology, IEEE Transactions on*, vol. 59, no. 6, pp. 2700–2710, 2010.
- [10] D. Ambuhl and L. Guzzella, "Predictive reference signal generator for hybrid electric vehicles," *Vehicular Technology, IEEE Transactions on*, vol. 58, no. 9, pp. 4730–4740, 2009.
- [11] J. Bernard, S. Delprat, F. Buchi, and T. Guerra, "Fuel-cell hybrid powertrain: Toward minimization of hydrogen consumption," *Vehicular Technology, IEEE Transactions on*, vol. 58, no. 7, pp. 3168–3176, 2009.
- [12] Y. Cheng, K. Chen, C. Chan, A. Bouscayrol, and S. Cui, "Global modeling and control strategy simulation," *Vehicular Technology Magazine, IEEE*, vol. 4, no. 2, pp. 73–79, 2009.
- [13] Y. Eren, O. Erdinc, H. Gorgun, M. Uzunoglu, and B. Vural, "A fuzzy logic based supervisory controller for an FC/UC hybrid vehicular power system," *International Journal of Hydrogen Energy*, vol. 34, no. 20, pp. 8681–8694, 2009.
- [14] D. Feroldi, M. Serra, and J. Riera, "Energy management strategies based on efficiency map for fuel cell hybrid vehicles," *Journal of Power Sources*, vol. 190, no. 2, pp. 387–401, 2009.
- [15] J. Solano Martinez, D. Hissel, M. Pera, and M. Amiet, "Practical control structure and energy management of a test bed hybrid electric vehicle," *Vehicular Technology, IEEE Transactions on*, vol. 60 Issue:9 Nov., no. 99, pp. 4139 – 4152, 2011.
- [16] J. Solano Martínez, R. I. John, D. Hissel, and M.-C. Pra, "A survey-based type-2 fuzzy logic system for energy management in hybrid electrical vehicles," *Information Sciences*, vol. 190, no. 0, pp. 192 – 207, 2012.